

# BLACKFRIAR PAINTS LTD

## TECHNICAL DATA SHEET

### BF033 Blackfriar Anti-Rust Primer.

Revision  
date:  
08/01/2007

<u>Product Information</u>	<u>Technical Spec</u>	<u>Recommended Spreading Rate</u>
<p><b><u>Description</u></b></p> <p>A rust inhibiting primer for the protection of Iron and Steel, (ferrous metals).</p>	<p><b><u>Composition</u></b></p> <p>A blend of Red oxide and Zinc Phosphate anticorrosive pigments in a synthetic resin.</p>	<p>13m<sup>2</sup>/ltr</p>
<p><b><u>Usage/purpose</u></b></p> <p>Specifically formulated for painting ferrous surfaces to prevent corrosion. Recommended for use with QD90 Machinery &amp; Metal Paint.</p>	<p><b><u>Properties</u></b></p> <p>VOC Content: 470 g/litre.</p>	<p><b><u>Thinning</u></b></p> <p>Up to 10% with white spirit</p>
<p><b><u>Characteristics</u></b></p> <p>Liquid paint with a white spirit odour.</p>	<p><b><u>Performance</u></b></p> <p>Promotes adhesion and rust-inhibition on ferrous metals</p>	<p><b><u>Drying Time</u></b></p> <p>Touch dry in 2-4 hours Recoat after 16 hours under normal conditions (20°C 50% r/h).</p>
<p><b><u>Finish</u></b></p> <p>Matt Finish</p>	<p><b><u>Surface Preparation</u></b></p> <p>Remove all signs of rust to a clean bright surface. Ensure the substrate to be painted is sound and free from any surface contaminant likely to give adhesion problems (e.g. wax, grease etc).</p>	<p><b><u>Cleaning</u></b></p> <p>Clean application equipment or spills with white spirit or Blackfriar Brush Cleaner</p>
<p><b><u>Colour(s)</u></b></p> <p>Light Red Oxide</p>	<p><b><u>Application Method</u></b></p> <p>Brush, Roller, Spray Ensure product is <u>thoroughly</u> stirred with a broad stirrer prior to application. For best results apply two full coats of the primer.</p>	<p><b><u>Limitations</u></b></p> <p>All rust must be removed before painting . Do not apply to damp/wet surfaces.</p>
<p><b><u>Packaging</u></b></p> <p>250ml, 500ml, 1litre, 2.5litre. Larger sizes may be available on request dependant on volume required</p>		<p><b><u>Environmental Info.</u></b></p> <p>Dangerous for the environment</p>
<p><b><u>Disclaimer;</u></b> The information contained herein is to the best of our knowledge true and accurate and is given in good faith but without warranty. It is our recommendation that a trial area is first coated to ensure the product is satisfactory to individual requirements</p>	<p><b>For Technical Enquiries, Material Safety Data Sheets Contact sales on 0191 4106611</b></p>	<p>Paint Product UN No. 1263.</p>
		<p><b>Tor Coatings Ltd. Portobello Industrial Est, Birtley Chester-le Street County Durham DH3 2RE</b></p>