## Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 453/2010 - United Kingdom (UK)



# **SAFETY DATA SHEET**

Professional Acid Etch

### SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- 1.1 Product identifier
- Product name
- : Professional Acid Etch
- Product description Product type
- Cleaning solutions.Liquid.

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses		
Industrial uses: Uses of substances as such or in preparations* at industrial sites Consumer uses: Private households (= general public = consumers) Professional uses: Public domain (administration, education, entertainment, services, craftsmen)		
Uses advised against Reason		
None identified.		

#### 1.3 Details of the supplier of the safety data sheet

Blackfriar Paints Ltd Portobello Industrial Estate Birtley County Durham United Kingdom DH3 2RE Telephone no.: +44 (0) 191 4106611 Fax no.: +44 (0) 191 4920125

e-mail address of person : rpmeurohas@ro-m.com responsible for this SDS

#### **1.4 Emergency telephone number**

Telephone number	: +44 (0) 207 858 1228
Hours of operation	: 24/7

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Product definition : Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS] Not classified.

#### Classification according to Directive 1999/45/EC [DPD]

The product is not classified as dangerous according to Directive 1999/45/EC and its amendments.

Classification : Not classified.

See Section 16 for the full text of the R phrases or H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

#### 2.2 Label elements

### **SECTION 2: Hazards identification**

Signal word	1	No signal word.
Hazard statements	:	No known significant effects or critical hazards.
Precautionary statements		
General	:	Keep out of reach of children. Read label before use. If medical advice is needed, have product container or label at hand.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Dispose of contents and container in accordance with all local, regional, national and international regulations.
Supplemental label elements	:	Safety data sheet available on request.
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	:	Not applicable.
Special packaging requirem	en	ts
Containers to be fitted with child-resistant fastenings	:	Not applicable.
Tactile warning of danger	:	Not applicable.
2.3 Other hazards		

Other hazards which do : None known. not result in classification

### **SECTION 3: Composition/information on ingredients**

			Class	sification	
Product/ingredient name	Identifiers	%	67/548/EEC	Regulation (EC) No. 1272/2008 [CLP]	Туре
hydrochloric acid	EC: 231-595-7 CAS: 7647-01-0 Index: 017-002-01-X	<10	C; R34 Xi; R37	Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335	[1] [2]
			See Section 16 for the full text of the R- phrases declared above.	See Section 16 for the full text of the H statements declared above.	

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs or vPvBs or have been assigned a workplace exposure limit and hence require reporting in this section.

Туре

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

[3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII

[4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

[5] Substance of equivalent concern

Occupational exposure limits, if available, are listed in Section 8.

### **SECTION 4: First aid measures**

4.1 Description of first aid measures				
General	: In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and seek medical advice.			
Eye contact	<ul> <li>Check for and remove any contact lenses. Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Seek immediate medical attention.</li> </ul>			
Inhalation	: Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.			
Skin contact	<ul> <li>Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognised skin cleanser. Do NOT use solvents or thinners.</li> </ul>			
Ingestion	<ul> <li>If swallowed, seek medical advice immediately and show the container or label.</li> <li>Keep person warm and at rest. Do NOT induce vomiting.</li> </ul>			
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.			

#### 4.2 Most important symptoms and effects, both acute and delayed

There are no data available on the mixture itself.

Repeated or prolonged contact with the mixture may cause removal of natural fat from the skin, resulting in nonallergic contact dermatitis and absorption through the skin.

If splashed in the eyes, the liquid may cause irritation and reversible damage.

This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal routes of exposure and eye contact.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician	: Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.

See toxicological information (Section 11)

### **SECTION 5: Firefighting measures**

5.1 Extinguishing media		
Suitable extinguishing media	:	Recommended: alcohol-resistant foam, CO <sub>2</sub> , powders, water spray.
Unsuitable extinguishing media	:	Do not use water jet.
5.2 Special hazards arising fr	orr	the substance or mixture
Hazards from the substance or mixture	:	Fire will produce dense black smoke. Exposure to decomposition products may cause a health hazard.
Hazardous thermal decomposition products	:	Decomposition products may include the following materials: carbon monoxide, carbon dioxide, smoke, oxides of nitrogen.
5.3 Advice for firefighters		
Special protective actions for fire-fighters	:	Cool closed containers exposed to fire with water. Do not release runoff from fire to drains or watercourses.
Special protective equipment for fire-fighters	:	Appropriate breathing apparatus may be required.
Additional information	:	No unusual hazard if involved in a fire.

### **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures			
For non-emergency personnel	:	Avoid breathing vapour or mist. Refer to protective measures listed in sections 7 and 8.	
For emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".	
6.2 Environmental precautions	:	Do not allow to enter drains or watercourses. If the product contaminates lakes, rivers, or sewers, inform the appropriate authorities in accordance with local regulations.	
6.3 Methods and materials for containment and cleaning up	:	Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Preferably clean with a detergent. Avoid using solvents.	
6.4 Reference to other sections	:	See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.	
SECTION 7: Handling and storage			

7.1 Precautions for safe handling	<ul> <li>Avoid contact with skin and eyes. Avoid inhalation of vapour, spray or mist. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Put on appropriate personal protective equipment (see Section 8). Never use pressure to empty. Container is not a pressure vessel. Always keep in containers made from the same material as the original one. Comply with the health and safety at work laws. Do not allow to enter drains or watercourses.</li> </ul>
7.2 Conditions for safe storage, including any incompatibilities	<ul> <li>Store in accordance with local regulations.</li> <li>Notes on joint storage         Keep away from: oxidising agents, strong alkalis, strong acids.     </li> <li>Additional information on storage conditions         Observe label precautions. Store in a dry, cool and well-ventilated area. Keep away         from heat and direct sunlight.         Keep container tightly closed.         No smoking. Prevent unauthorised access. Containers that have been opened must         be carefully resealed and kept upright to prevent leakage.     </li> </ul>
7.3 Specific end use(s) Recommendations	: Not available.
Industrial sector specific	: Not available.

### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

solutions

#### **Occupational exposure limits**

4/11

## **SECTION 8: Exposure controls/personal protection**

		· ·		
Product/ingred	ient name		Exposure limit values	5
hydrochloric acid		STEL: 8 mg/m <sup>3</sup> 15 STEL: 5 ppm 15 mi TWA: 2 mg/m <sup>3</sup> 8 ho	<b>United Kingdom (UK), 8</b> minutes. Form: Gas and inutes. Form: Gas and action ours. Form: Gas and acros rs. Form: Gas and acros	aerosol mists erosol mists osol mists
Recommended monitorin procedures	atmosphere of the ventila protective events the following the assess limit values atmosphere of exposure (Workplace for the meas	ct contains ingredients wi or biological monitoring in ation or other control mea quipment. Reference sho y: European Standard EN nent of exposure by inhal and measurement strateg s - Guide for the applicat to chemical and biologicat atmospheres - General r surement of chemical age for methods for the deter	may be required to detern asures and/or the necess build be made to monitori N 689 (Workplace atmos ation to chemical agents gy) European Standard I ion and use of procedure al agents) European Sta equirements for the perfe- ents) Reference to nation	mine the effectiveness ity to use respiratory ng standards, such as pheres - Guidance for for comparison with EN 14042 (Workplace s for the assessment indard EN 482 ormance of procedure nal guidance
DNELs/DMELs				
No DNELs/DMELs availa	ble.			
PNECs				
No PNECs available				
.2 Exposure controls				
Appropriate engineering controls	achieved by these are no	quate ventilation. Where the use of local exhaust ot sufficient to maintain co ow the OEL, suitable resp	ventilation and good gen oncentrations of particula	eral extraction. If ites and solvent
Individual protection mea				
Hygiene measures	eating, smo Appropriate Wash conta	s, forearms and face thor king and using the lavato techniques should be us minated clothing before r ers are close to the works	ry and at the end of the v ed to remove potentially eusing. Ensure that eye	vorking period. contaminated clothing
Eye/face protection	: Safety glass	es with side shields. (EN	166)	
Skin protection				
Hand protection				
combination of chemica The breakthrough time The instructions and inf replacement must be fo Gloves should be repla Always ensure that glov The performance or eff maintenance.	IIs. must be greater th ormation provided Ilowed. ced regularly and i res are free from d ectiveness of the g	ation of materials that will an the end use time of th by the glove manufacture f there is any sign of dam efects and that they are s plove may be reduced by	e product. er on use, storage, main age to the glove materia stored and used correctly physical/chemical damag	tenance and I. /. ge and poor
Barrier creams may hel occurred.	p to protect the ex	posed areas of the skin b	out should not be applied	once exposure has
Gloves	: For prolonge	ed or repeated handling,	use the following type of	gloves:
	Recommen	ded: > 8 hours (breakthro	ough time): nitrile rubber	
		nendation for the type or taken a sed on information from		en handling this
	EN 374-3 : 2	2003		

### **SECTION 8: Exposure controls/personal protection**

	The user must check that the final choice of type of glove selected for handling this product is the most appropriate and takes into account the particular conditions of use, as included in the user's risk assessment.
Body protection	: Wear overalls or long sleeved shirt. (EN 467)
Other skin protection	<ul> <li>Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.</li> </ul>
Respiratory protection	: If workers are exposed to concentrations above the exposure limit, they must use appropriate, certified respirators.
	Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. Recommended: organic vapour (Type A) and particulate filter (EN 140).
Environmental exposure controls	: Do not allow to enter drains or watercourses.

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Appearance	
Physical state	: Liquid.
Colour	: Not available.
Odour	: Not available.
рН	: 4
Melting point/freezing point	: 0°C
Initial boiling point and boiling range	: >100°C
Flash point	: Closed cup: Not applicable. [Product does not sustain combustion.]
Evaporation rate	: <1 (butyl acetate = 1)
Flammability (solid, gas)	: Non-flammable in the presence of the following materials or conditions: open flames, sparks and static discharge, heat and shocks and mechanical impacts Nonflammable, but will burn on prolonged exposure to flame or high temperature.
Burning time	: Not applicable.
Burning rate	: Not applicable.
Upper/lower flammability or explosive limits	: Not available.
Vapour pressure	: 2.3 kPa [room temperature]
Vapour density	: >1 [Air = 1]
Relative density	: 1.01 to 1.02
Solubility(ies)	: Soluble in the following materials: cold water and hot water. Very slightly soluble in the following materials: methanol and acetone.
Solubility in water	: Not available.
Partition coefficient: n-octanol/ water	: Not available.
Auto-ignition temperature	: Not available.
Decomposition temperature	: Not available.
Viscosity	: Not available.
Explosive properties	<ul> <li>Non-explosive in the presence of the following materials or conditions: open flames, sparks and static discharge and heat. No unusual hazard if involved in a fire.</li> </ul>
Oxidising properties	: Not available.
Date of issue/Date of revision	: 25-02-2015. Date of previous issue : No previous validation. Version : 1 6

### **SECTION 9: Physical and chemical properties**

### 9.2 Other information

No additional information.

SECTION 10: Stability and reactivity			
10.1 Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.	
10.2 Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).	
10.3 Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.	
10.4 Conditions to avoid	:	When exposed to high temperatures may produce hazardous decomposition products.	
10.5 Incompatible materials	:	Keep away from the following materials to prevent strong exothermic reactions: oxidising agents, strong alkalis, strong acids.	
10.6 Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced. If involved in a fire, toxic gases including CO, CO2 and smoke can be generated.	

### SECTION 11: Toxicological information

#### 11.1 Information on toxicological effects

There are no data available on the mixture itself.

Repeated or prolonged contact with the mixture may cause removal of natural fat from the skin, resulting in nonallergic contact dermatitis and absorption through the skin.

If splashed in the eyes, the liquid may cause irritation and reversible damage.

This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal routes of exposure and eye contact.

#### Acute toxicity

Conclusion/Summary	÷	Based on available data,	the classification crite	ria are not	t met.

### Acute toxicity estimates

Not available.

Irritation/Corrosion			
<b>Conclusion/Summary</b>			
Skin	:	Based on available data, the classification criteria are not met.	
Eyes	:	Based on available data, the classification criteria are not met.	
Respiratory	:	Based on available data, the classification criteria are not met.	
Sensitisation			
<b>Conclusion/Summary</b>			
Skin	:	Based on available data, the classification criteria are not met.	
Respiratory	:	Based on available data, the classification criteria are not met.	
Mutagenicity			
<b>Conclusion/Summary</b>	:	Based on available data, the classification criteria are not met.	
Carcinogenicity			
<b>Conclusion/Summary</b>	:	Based on available data, the classification criteria are not met.	
Reproductive toxicity			
<b>Conclusion/Summary</b>	:	Based on available data, the classification criteria are not met.	
Teratogenicity			
Conclusion/Summary	:	Based on available data, the classification criteria are not met.	
Data of issue/Data of revision		1 25 02 2015 Date of provious inclus	Varaian

### **SECTION 11: Toxicological information**

#### Specific target organ toxicity (single exposure)

Product/ingredient name	Category	Route of exposure	Target organs
hydrochloric acid	Category 3	Not applicable.	Respiratory tract irritation

Specific target organ toxicity (repeated exposure) Not available.

### Aspiration hazard

Not available.

Other information

: Not available.

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

There are no data available on the mixture itself. Do not allow to enter drains or watercourses.

Product/ingredient name	Result	Species	Exposure
hydrochloric acid	Acute LC50 260 mg/l Marine water	Crustaceans - Crangon crangon - Adult	48 hours
	Acute LC50 240 mg/l Marine water	Crustaceans - Carcinus maenas - Adult	48 hours
	Acute LC50 282 mg/l Fresh water	Fish - Gambusia affinis - Adult	96 hours

**Conclusion/Summary** : Based on available data, the classification criteria are not met.

#### 12.2 Persistence and degradability

**Conclusion/Summary** : According to EC criteria: Expected to be inherently biodegradable

#### 12.3 Bioaccumulative potential

Product/ingredient name	LogP <sub>ow</sub>	BCF	Potential
hydrochloric acid	0.3	-	low

#### 12.4 Mobility in soil

Soil/water partition coefficient (Koc)	: Not available.
Mobility	: Non-volatile.

12.5 Results of PBT and vPvB assessment			
PBT	: Not applicable.		
vPvB	: Not applicable.		

**12.6 Other adverse effects** : No known significant effects or critical hazards.

### **SECTION 13: Disposal considerations**

#### **13.1 Waste treatment methods**

Product		
Methods of disposal	:	The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non- recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
Hazardous waste	:	Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 91/689/EEC.
Disposal considerations	:	Do not allow to enter drains or watercourses. Dispose of according to all federal, state and local applicable regulations. If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned. For further information, contact your local waste authority.

#### European waste catalogue (EWC)

The European Waste Catalogue classification of this product, when disposed of as waste, is:

Waste code	Waste designation	
06 01 99	wastes not otherwise specified	
Packaging		
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.	
Disposal considerations	<ul> <li>Using information provided in this safety data sheet, advice should be obtained from the relevant waste authority on the classification of empty containers. Empty containers must be scrapped or reconditioned. Not emptied containers are hazardous waste.</li> </ul>	
Special precautions	: This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.	

### **SECTION 14: Transport information**

			1474
	ADR/RID	IMDG	IATA
14.1 UN number	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-
14.3 Transport hazard class(es)	-	-	-
14.4 Packing group	-	-	-
14.5 Environmental hazards	No.	No.	No.
Additional information	-	-	-

### SECTION 14: Transport information

user

14.6 Special precautions for : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

### **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

The information contained in this safety data sheet does not constitute the user's own assessment of workplace risks, as required by other health and safety legislation. The provisions of the national health and safety at work regulations apply to the use of this product at work.

CN code	: 3210 00 90

Annex XIV - List of subst	ances subject to authorisation
Annex XIV	
None of the components	are listed.
Substances of very high	n concern
None of the components	are listed.
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	: Not applicable.
Other EU regulations	
VOC for Ready-for-Use Mixture	: Not applicable
Europe inventory	: All components are listed or exempted.
National regulations	

#### **15.2 Chemical Safety** : This product contains substances for which Chemical Safety Assessments are still Assessment required.

### SECTION 16: Other information

Indicates information that has changed from previously issued version.

Abbreviations and	: ATE = Acute Toxicity Estimate
acronyms	CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No.
	1272/2008]
	DMEL = Derived Minimal Effect Level
	DNEL = Derived No Effect Level
	EUH statement = CLP-specific Hazard statement
	PBT = Persistent, Bioaccumulative and Toxic
	PNEC = Predicted No Effect Concentration
	RRN = REACH Registration Number
	vPvB = Very Persistent and Very Bioaccumulative

#### Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification			Justification	
Not classified.				
Full text of abbreviated H statements	: H314 H318 H335	Causes severe skin burns and eye damage. Causes serious eye damage. May cause respiratory irritation.		

10/11

### **SECTION 16: Other information**

Full text of classifications [CLP/GHS]	: Eye Dam. 1, H318 Skin Corr. 1B, H314 STOT SE 3, H335	SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1 SKIN CORROSION/IRRITATION - Category 1B SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) [Respiratory tract irritation] - Category 3		
Full text of abbreviated R phrases	: R34- Causes burns. R37- Irritating to respiratory system.			
Full text of classifications [DSD/DPD]	: C - Corrosive Xi - Irritant			
Date of printing	: 18-03-2015.			
Date of issue/ Date of revision	: 25-02-2015.			
Date of previous issue	: No previous validation.			
Version	: 1			
Notice to reader				

#### Notice to reader

The information in this SDS is based on the present state of our knowledge and on current laws. The product is not to be used for purposes other than those specified under section 1 without first obtaining written handling instructions. It is always the responsibility of the user to take all necessary steps to fulfil the demands set out in the local rules and legislation. The information in this SDS is meant to be a description of the safety requirements for our product. It is not to be considered a guarantee of the product's properties.